



J-11011/91/2014-IA II (I)
Government of India
Ministry of Environment, Forest and Climate Change
(I.A. Division)

Indira Paryavaran Bhawan
Aliganj, Jorbagh Road,
New Delhi -110003

Telefax: 011-24695313
E-mail : lk.bokolia@nic.in
Dated: 12th July, 2016

To,

Shri Ranjeetsingh H. Naik Nimbalkar
Chairman
M/s Swaraj India Agro Ltd.
A/p Nimbhore, Taluka Phaltan
District Satara – 415523

E-mail: ranjeetsingh@swarajindia.co.in Fax: 2166-262064;

Subject: Molasses based Distillery (60 KLPD) and expansion of Cogeneration Power Plant (from 19.5 MW to 22.5 MW) at Gut No. 332 A, 332 B/2, 332 C, 221, Village Upalve, Tehsil Phaltan, District Satara, Maharashtra by M/s Swaraj India Agro Ltd. – Environmental Clearance reg.

Ref.: Your online proposal no. IA/MH/IND/22081/2014 dated 26th February, 2016.

Sir,

This has reference to your online proposal no IA/MH/IND/22081/2014 dated 26th February, 2016 alongwith project documents including Form I, Terms of References, Pre-feasibility Report, EIA/EMP Report alongwith Public Hearing Report regarding above mentioned project.

2.0 The Ministry of Environment, Forests and Climate Change has examined the application. It is noted that proposal is for setting up of Molasses based Distillery (60 KLPD) and expansion of Cogeneration Power Plant (from 19.5 MW to 22.5 MW) at Gut No. 332 A, 332 B/2, 332 C, 221, Village Upalve, Tehsil Phaltan, District Satara, Maharashtra by M/s Swaraj India Agro Ltd.. Proposed plant will be installed in the existing unit of Sugar unit (4400 TCD) and Cogeneration power plant (19.5 MW). Total plot area is 63 acre of which greenbelt will be developed in 18 acres. The cost of project is Rs. 311.2 Crore. Out of which, Rs. 22.45 Crore and Rs. 63.83 Crore are earmarked towards capital cost and recurring cost per annum. No. of working days of distillery is 333 days per annum. No. of working days of Cogen Power plant during season is 160 days and off season is 55 days. It is reported that there is no ecological sensitive area and protected areas within 10 Km distance. Open scrub RF near Palvan Stony waste PF near Uplave is located within 10 Km distance. Banganga dam is located at a distance of 7 km.

3.0 Electrostatic precipitator (ESP) alongwith stack of adequate height will be provided to coal/spent wash fired boiler to control particulate emissions within 50 mg/Nm³. Total fresh water requirement from ground water source will be 130 m³/day for sugar unit; 509 m³/day for cogen and 388 m³/day for distillery. Spent wash from molasses based distillery will be evaporated in the

13

multiple effect evaporator (MEE) and concentrated spent wash will be incinerated in the incineration boiler to achieve 'Zero' discharge. Effluent from sugar, spentlees, utilities effluent and evaporator condensate will be treated in effluent treatment plant and recycled/reused in process. No effluent shall be discharged outside the premises and 'Zero' discharge shall be maintained. Spent wash holding tank capacity will be for 5 days. Tank shall be made with RCC. Fly ash will be sent to brick manufacturers. Spent oil will be sent to authorized recyclers.

4.0 Public Hearing / Public Consultation meeting was conducted on 4th December, 2015.

5.0 All molasses based distilleries are listed at S.N. 5(g) (i) under category 'A' and appraised at Central level.

6.0 The proposal was considered by the Expert Appraisal Committee (Industry-2) in its meetings held during 28th – 30th May, 2014 and 27th-28th April, 2016 respectively. Project Proponent and the EIA Consultant namely M/s MITCON Consultancy & Engineering Services, have presented EIA / EMP report as per the TOR. EAC has found the EIA / EMP Report and additional information to be satisfactory and in full consonance with the presented TORs. The Committee recommended the proposal for environmental clearance.

7.0 Based on the information submitted by the project proponent, the Ministry of Environment, Forests and Climate Change hereby accords environmental clearance to above project under the provisions of EIA Notification dated 14th September 2006, subject to the compliance of the following Specific and General Conditions:

A. SPECIFIC CONDITIONS:

- i) Environment clearance accorded is for molasses based distillery unit (60 KLPD) only and no grain based distillery unit shall be operated without prior permission from the Ministry.
- ii) As proposed, Electrostatic precipitator (ESP) alongwith stack of adequate height should be provided to bagasse/coal/concentrated spent wash fired boiler to control particulate emissions within 50 mg/Nm³. At no time, the emission levels shall go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.
- iii) In plant, control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading and unloading areas to control dust emissions. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored and records shall be maintained. The emissions shall conform to the limits prescribed by Maharashtra Pollution Control Board (MPCB).
- iv) The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB guidelines. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.
- v) The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the MPCB. The levels of PM₁₀, PM_{2.5}, SO₂, NO_x, CO and HC (Methane) in ambient air shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.

- vi) Pucca approach road to project site shall be constructed prior to commencing construction activity of the main distillery to avoid fugitive emissions.
- vii) Total fresh water requirement from ground water source for 130 m³/day for sugar unit; 509 m³/day for cogen and 388 m³/day for distillery and prior permission shall be obtained from SGWA/CGWA.
- viii) Spent wash generation from molasses based distillery shall not exceed 8 KI/KI of alcohol. The spent wash from molasses based distillery shall be evaporated in MEE and concentrated spent wash will be incinerated in the incineration boiler to achieve 'Zero' discharge. Evaporator Condensate shall be treated in polishing pond and recycled/reused in process. Sewage shall be treated in the STP. No effluent shall be discharged outside the premises and 'Zero' discharge shall be maintained.
- ix) Spent wash shall be stored in impervious RCC lagoon with HDPE lining as per CPCB guidelines and should be kept in proper condition to prevent ground water pollution. Storage capacity of spent wash lagoon should be for 5 days.
- x) As proposed, no effluent from sugar, distillery and co-generation power plant should be discharged outside the premises and Zero discharge shall be achieved.
- xi) Adequate numbers of ground water quality monitoring stations by providing piezometers around the project area shall be set up. Sampling and trend analysis monitoring must be made on monthly a basis and report submitted to SPCB and this Ministry. The ground water quality monitoring for pH, BOD, COD, Chloride, Sulphate and total dissolved solids shall be monitored. Sampling and trend analysis monitoring must be made on monthly basis and report submitted to the Ministry's Regional Office at Bhopal and MPCB.
- xii) Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.
- xiii) Continuous online (24 x7) monitoring to be installed for flow measurement and measurement of pollutants within the treatment unit. Data to be uploaded on company's website and provided to the respective RO of MEF&CC, CPCB and SPCB.
- xiv) Bagasse/coal storage should be done in such a way that it does not get air borne or fly around due to wind.
- xv) Boiler ash should be stored separately as per CPCB guidelines so that it should not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing alongwith the storm water. Direct exposure of workers to fly ash & dust should be avoided. Bagasse ash and coal ash should be stored separately.
- xvi) Fire fighting system shall be as per the norms and cover all areas where alcohol is produced, handled and stored. Provision of foam system for fire fighting shall be made to control fire from the alcohol storage tank.
- xvii) Risk Assessment should be carried to assess the fire and explosion risk due to storage of alcohol and report submitted to the Ministry and its Regional Office at Bhopal within six months.
- xviii) Occupational health surveillance programme should be undertaken as regular exercise for all the employees. The first aid facilities in the occupational health centre should be

LB

strengthened and the regular medical test records of each employee should be maintained separately.

- xix) Dedicated parking facility for loading and unloading of material shall be provided in the factory premises. Unit shall develop and implement good traffic management system for their incoming and outgoing vehicles to avoid congestion on the public road.
- xx) All the commitments made during the Public Hearing/Public Consultation meeting held on 4th December, 2015 shall be satisfactorily implemented and adequate budget provision shall be made accordingly.
- xxi) As proposed, green belt over 18 acres of the total project area shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.
- xxii) At least 5 % of the total cost of the project should be earmarked towards the Enterprise Social Commitment (ESC) based on local needs and action plan with financial and physical breakup/details should be prepared and submitted to the Ministry's Regional Office at Bhopal. Implementation of such program should be ensured accordingly in a time bound manner.
- xxiii) Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.

B. GENERAL CONDITIONS:

- i. The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board (MPCB), State Government and any other statutory authority.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the MPCB and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- iv. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- v. The Company shall harvest rainwater from the roof-tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.

ls


- vi. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic wastewater and storm water drains.
- vii. Usage of Personnel Protection Equipments by all employees/ workers shall be ensured.
- viii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- ix. The company shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.
- x. The company shall undertake CSR activities and all relevant measures for improving the socio-economic conditions of the surrounding area.
- xi. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- xii. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xiii. The company shall earmark sufficient funds for recurring cost per annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- xiv. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parisad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- xv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the Maharashtra Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status reports shall be posted on the website of the company.
- xvi. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the UP Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Bhopal Regional Offices of MoEF by e-mail.
- xvii. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://envfor.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

xviii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

8.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

9.0 The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.


10.0 The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.



(Lalit Bokolia)
Additional Director

Copy to :-

1. The Principal Secretary, Environment Department, Government of Maharashtra, 15th Floor, New Administrative Building, Mantralaya, Mumbai - 400 032
2. The Additional Principal Chief Conservator of Forests, Regional Office (WCZ), Ministry of Environment, Forest and Climate Change, Nagpur.
3. The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
4. The Chairman, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai-400 022.
5. Monitoring Cell, Ministry of Environment and Forests, Indira Paryavaran Bhavan, Jor Bagh Road, New Delhi.
6. Guard File/Monitoring File/Record File.



(Lalit Bokolia)
Additional Director